

## FEDERAL SUPPLY SCHEDULE

FSC Group 49  
FSC Class 4910  
Contract Number GS-07F-0478U  
Contract Period 8/1/2008 through 7/13/20013  
Mod# PO-0006 04/09/2010

Pro-Cut USA Contact Info  
phone: 800.543.6618  
fax: 603.298.8404  
email: [info@procutusa.com](mailto:info@procutusa.com)  
web: [www.procutusa.com](http://www.procutusa.com)



**PRO-CUT**  
ROTOR MATCHING SYSTEMS

**GENERAL SERVICES ADMINISTRATION**

*Federal Supply Service*

*Authorized Federal Supply Schedule Price List*

**Schedule Title:** 056 – Buildings and Building Materials/Industrial Services and Supplies

**FSC Group:** 49 – Maintenance & Repair Shop Equipment with Related Environmental Products

**Contract Number:** GS-07F-0478U dated 08/01/08, Mod# PO-0006 04/09/2010

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.fss.gsa.gov>.

**Contract period:** 8/01/2008 through 7/31/2013

Contractor's name, address and phone number:

**Pro-Cut International**

10 Technology Drive #4

West Lebanon, NH 03784

603-298-5200

603-298-8404 (fax)

Info@procutusa.com (email)

<http://www.procutusa.com> (Web Site)

**Contract administration source:** Mrs. Karen Follensbee

Business size: Sm/Mfgr/Veteran Owned

**CUSTOMER INFORMATION:**

1a. Table of awarded special item number(s):

<u>SIN</u>	<u>Description</u>
253-2	Wheel and Tire Equipment

1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:

*Price shown herein are Net, discount deducted:*

<u>SIN</u>	<u>Description</u>	<u>Price</u>
253-2	On-Car Brake Lathe	
	PFM-9.0 5 Adapter Package	\$6,780.78

2. Maximum order: \$150,000

3. Minimum order: None

4. Geographic coverage: 50 US States, Washington DC, US territories

5. Point(s) of production: West Lebanon, NH

**GENERAL SERVICES ADMINISTRATION** *Continued*

**Federal Supply Service**

**Authorized Federal Supply Schedule Price List**

6. Discount from list prices or statement of net price: Prices shown herein are Net, discount deducted:

<u>SIN</u>	<u>Description</u>	<u>Price</u>
253-2	On Car Brake Lathes:	
	PFM-9.0 5 Adapter Package	\$6,780.78
	PFM-9.0 7 Adapter Package	\$7,270.32
	PFM-9.2 5 Adapter Package	\$7,903.23
	PFM-9.2 7 Adapter Package	\$8,307.19

7. Quantity discounts: +3% for 300 or more units

8. Prompt payment terms: Net 30

9. Notification that Government purchase cards are accepted up to and above the micro-purchase threshold: Visa, MasterCard, American Express and Discover are accepted for orders up to and above the micro-purchase threshold.

10. Foreign items: None

11a. Time of delivery: 30 days ARO

11b. Expedited delivery: 15 days ARO

11c. Overnight and 2-day delivery: See Expedited delivery

11d. Urgent Requirements: The Contractor will note in its price list the "Urgent Requirements" clause of its contract and advise agencies that they can also contact the Contractor's representative to effect a faster delivery.

12. F.o.b. point(s): Origin—Free freight allowed

13. Ordering address(es): Same as contractor

14. Payment address(es): Same as contractor

15. Warranty provisions: Standard Commercial Warranty

16. Export packing charges: N/A

17-24. N/A

25. Data Universal Number System (DUNS) number: 61-798-9785

26. Notification regarding registration in Central Contractor Registration (CCR) database:  
Valid through 02/11/2011.

## ON-CAR LATHES



**Advantage!**  
www.gsaAdvantage.gov

### PFM 9.2 ON-CAR BRAKE LATHE

Designed for years of productive use, Pro-Cut's latest innovation takes the on-car brake lathe industry to new heights. The 9.2DRO delivers unmatched speed and accuracy, designed for ease-of-use and one-hand operation (no tools!). It was recently selected by GM as their Essential On-Car Lathe for all Chevrolet and GMC dealers in the US and Canada.

### 9.2DRO PACKAGES:

#### PFM-9.2 5 Adapter Master Package

PFM-9.2 DRO, On-car brake lathe complete with speed lock cutting head, premium HD trolley, lathe cover, all accessories, and five adapters - covers 4-lug cars up to and including 1/2 ton trucks. **\$7,903.23**

#### PFM-9.2 7 Adapter HD Truck Package

PFM-9.2 DRO, On-car brake lathe complete with speed lock cutting head, premium HD trolley, lathe cover, all accessories, and seven adapters - covers 4-lug cars up to and including most 1 ton dual wheel trucks. **\$8,307.19**



**WEIGHT:** 90 lbs.  
**COMP. PKG:** Auto Comp w/ DRO  
**MOTOR:** 1.0 hp continuous duty  
**MIN. ROTOR DIAM.:** 4"  
**MAX. ROTOR DIAM.:** 17.2"  
**CUTTING HEAD:** Speed-Lock



\*See the Adapter section, page 6, for Adapter Package information.

### PFM 9.0 ON-CAR BRAKE LATHE

Pro-Cut has raised the standard again. Evolving from Pro-Cut's earlier award-winning models, the 9.0 features an all-new computer board and program that allow for even greater accuracy and faster compensation. *Just 7-9 minutes per rotor!*

### 9.0 PACKAGES:

#### PFM-9.0 5 Adapter Master Package

PFM-9.0 On-car brake lathe complete with trolley, all accessories, and five adapters - covers 4-lug cars up to and including 1/2 ton trucks. **\$6,780.78**

#### PFM-9.0 7 Adapter HD Truck Package

PFM-9.0 On-car brake lathe complete with trolley, all accessories, and seven adapters - covers 4-lug cars up to and including most 1 ton dual wheel trucks. **\$7,270.32**



**WEIGHT:** 76 lbs.  
**COMP. PKG:** Auto Comp  
**MOTOR:** 1.0 hp continuous duty  
**MIN. ROTOR DIAM.:** 4"  
**MAX. ROTOR DIAM.:** 16.2"  
**CUTTING HEAD:** Standard

## OPEN MARKET ITEMS: ADAPTERS

Pro-Cut adapter packages give you the flexibility to handle most brake jobs in the industry. The adapters shown here are included with the **PFM 5-Adapter Master** and the **PFM 7-Adapter HD Truck Packages** (see On-Car Lathes, page 4). No adjustment or assembly required — just bolt on and go!

Call for current open market item pricing.

### STANDARD CAR / SUV / PICKUP ADAPTERS

- A 50-687 / 4-Hole Adapter**  
Fits most 4-lug vehicles.
- B 50-688 / 5-Hole Adapter**  
Fits most 5-lug vehicles.
- C 50-695 / Large Car/Light Truck Adapter**  
Fits many smaller trucks and SUVs such as the Dakota and Envoy, and larger cars such as the Chrysler 300 and Buick LeSabre.
- D 50-691 / 4wd Adapter**  
Fits most pickups and SUVs in the 1/2-ton range including Ford F150 up to and including 2003.
- E 50-694 / High Hat Truck Adapter**  
Has many 1/2-ton truck and SUV patterns such as the Ford F150 and GM Acadia.

### HD TRUCK ADAPTERS

- F 50-683 / HD Truck Adapter**  
Fits 3/4- and 1-ton applications with 8- or 10-lug patterns.
- G 50-935 / Dual Wheel Adapter**  
Fits most dual-wheel vehicles front and rear. Some Dual Wheel trucks will require the use of additional extensions, stand offs, and/or an Extended Feed Screw (see 50-035, facing page) for the rear rotors.


5 ADAPTER PACKAGE  
7 ADAPTER PACKAGE



A



B



C




D



E



F



G

Virtually every national service chain, including GoodYear, Midas, Tire Kingdom, Pep Boys, and Firestone uses Pro-Cut on-car technology.

## OPEN MARKET ITEMS: ADAPTERS

### SPACERS

- A 50-046 Nose Cone Extension
- B 50-049 Double-Thick Nose Cone Extension
- C 50-246 Spacer for use with 50-687/688 Adapter
- D 30-791 Spacer for use with 50-691

### SPECIALTY ADAPTERS

- E 50-696 **Rover/Rolls Royce Adapter - E**  
Fits most Land Rover and Rolls Royce patterns.
- F 50-681 **Toyota Truck Adapter**  
Fits most pickups and SUVs including the Toyota Land Cruiser/VW Touareg, and single-wheel Dodge/MB Sprinter.
- G 50-693 **5-hole European Sedan Adapter**  
Fits BMW and other 5-lug patterns.
- H 50-939 **Dual Wheel Box Truck Adapter for Mitsubishi and others**  
Has 5 on 208 and 6 on 222 bolt patterns.

### DUAL WHEEL REAR EXTENSIONERS

- 50-492 **Dual Wheel Reach Extension Plate** (\*ITEM NOT SHOWN)  
For lathes with Speed-Lock cutting head (50-496 slide plate)
- 50-495 **Dual Wheel Reach Extension Plate** (\*ITEM NOT SHOWN)  
For lathes with standard cutting head (50-498 and 50-499 slide plates on PFM900, 9.0, and early 9.2 models)
- I **Hexagonal Stand Offs**
  - 50-005 For rear of some Ford trucks: 14mm x 1.5, Olive, 5 per set
  - 50-006 For rear of some 3500 HD GM trucks: 5/8" x 18, Gold, 5 per set
  - 50-007 For rear of some Ford trucks: 9/16" x 18, Silver, 5 per set
  - 50-009 For rear of some Ford trucks: 14mm x 2, Black, 4 per set

#### 50-492K Dual Wheel Extension Kit

For Speed-Lock 9.2 machines. Allows Pro-Cut lathe to reach rear rotors of Ford E&F series 350/450/550. Dual Wheel Adapter and Extend Feed Screw required but not included.

#### J 50-495K Ford E&F 350/450/550 Rear Extension Kit

Allows Pro-Cut lathe to reach rear rotors of Ford E&F series 350/450/550. Dual Wheel Adapter and Extension Feed Screw required but not included.

#### K 50-035 Extended Feed Screw

Required for use on rear rotors larger than 15.25" - some F550s, for example. For lathes with 40-498 or 50-496 slide plates only. Contact your local rep for correct part #/size.



## OPEN MARKET ITEMS: ACCESSORIES

All the lathe companion tools you need. These Genuine Pro-Cut parts and accessories are made of the highest-quality materials, designed by our team to meet the standards of our award-winning lathes.

Call for current open market item pricing

- A 50-660 Tool Box Complete**  
All the tools to use any Pro-Cut lathe model in one convenient package. Includes 6mm T-handle, 2.0mm allen for gib adjustment and tip screws, chip brush, indexing crayon, and 6mm/8mm wrench.
- B 50-179 Nut & Bolt Kit**  
Includes 5 nuts each of 1/2" x 20 (black), 12mm x 1.25 (gold), 12mm x 1.25 (silver), 9/16 x 18 (red), 14mm x 1.5 (silver) and 5 studs each of: 12mm x 1.5 and 14mm x 1.5. Also includes 2 12mm to 14mm centering tubes. All neatly organized in a well-labeled plastic box.
- C 50-1057 Accessory basket**  
Get organized with a 4-bay basket that mounts to the leg of a 50-340, 50-350, 50-380 or 50-390 style trolley. Holds 50-179 Lug Nut Kit, 50-902 Rotor Micrometer, 50-492 or 50-495 Extension Plate, and 50-660 Tool Kit. (Includes basket only)
- D 50-742 Premium Pro-Cut Cutting Tip (box of 10)**  
Premium quality carbide cutting tip offers custom geometry, chip breaker, and positive relief. Top-quality surface, longer bit life, natural dampening. New design allows cut depth of up to 0.020" per side.
- E 50-702 Chip Tray**  
Plastic chip tray catches debris so shop floors stay clean. New design allows lathe to be rotated without removing tray.
- F 50-703 Disc Silencer**  
dampens vibration better than anything we've found. Custom-cut to ride securely over the Pro-Cut cutting arms.
- G 50-754 Double Thick Disc Silencer**  
For thin, solid rear rotors. Provides increased vibration dampening.
- H 37-034 S-Hooks**  
No need for mechanics wire or bungee cords to hang the brake calipers with these sturdy S-Hooks. They're coated with a rubber in safety yellow so you won't forget to take them out at job's end.
- I 50-752 Lathe Cover**  
Protect your lathe against shop dust, debris, and moisture.
- J 50-226 Speed-Lock Cutting Head**  
Lateral slide underneath a redesigned cutting head allows a range of settings and one-hand operation. Locking mechanism sets cutting head in place, offering better control and more consistent surface finish. For PFM 9.2 lathes only.



**Pro-Cut DRO - LIVE SYSTEM** All PFM 9.2s come with DRO-Live!

**The Pro-Cut DRO-Live System** offers increased speed and accuracy, verified! Key data provides shop management with the information necessary to effectively manage the asset. Features include:



**Constant read-out on actual runout in the lathe.**

PFM 9.2s with DRO show the “live” lateral runout of the machine while it’s compensating and once it’s finished, right down to the tenth of a thousandth inch (0.0001”).

*Accuracy verified.*



**Odometer readouts on lathe usage.**

The DRO hour meter measures motor run time in tenths of an hour. Show total number of compensation/cuts made over the life of the machine.

*Profitability verified.*



**Performance readings that insure top functionality.**

The DRO shows average compensation time in seconds over the life of the machine, as well as average compensation time over the last five cycles.

*Performance verified.*

**DISTRIBUTED BY:**

